



SEC. 4 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)




CORNER IDENT. R.L.S. FOUND

TIES: 1. 22.95 - P.K. NAIL IN EAST FACE POWER PILE.
2. 36.53 - EAST FACE OF YELLOW PIPE LINE MARKER


SEC. 4 TWP 22 RANGE 6

9/99

SEC. 5 TWP. 22 RANGE 6



GRAPHIC TIES
(SKETCHED)



CORNER IDENT. IRON ROD FOUND


- TIES: 1. 75.68 - BOLT AT SOUTHWEST CORNER OF CONCRETE PAD.
2. 92.23 - WEST-SOUTHWEST BOLT ON WELL CAP.
3. 5.64 - IRON ROD SET AT SOUTH EDGE OF ROAD

SEC. 5 TWP. 22 RANGE 6


9/99

DATE: 7/2/01

SECTION 5 TWP. 22 RANGE 6



GRAPHIC TIES (SKETCHED)



REFERENCED BY:

L. CLINE
D. TRAGESSE

CORNER IDENTIFIED: STONE FOUND AT SURFACE


TIES:

1. 21.65' IRON ROD SET AT EDGE OF ROAD


2. 7.95' IRON ROD SET AT EDGE OF ROAD

SECTION 5 TWP. 22 RANGE 6

SEC. 5 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)



CORNER IDENT. STONE w/ "X" FOUND 1' DEEP w/ R.R.S. ON TOP


- TIES: 1. 25.55 - P.K. NAIL IN EAST FACE POWER POLE.
2. 60.00 - P.K. NAIL IN SOUTH FACE POWER POLE.
3. 47.43 - P.K. NAIL IN WEST FACE TELEPHONE POLE

SEC. 5 TWP 22 RANGE 6


9/99

DATE: 7/3/01

SECTION 5 TWP. 22 RANGE 6



GRAPHIC TIES (SKETCHED)



REFERENCED BY:

L. CLINE
D. TRAGESER

CORNER IDENTIFIED: STONE FOUND, LOWERED 3', SET IRON ROD.

TIES:


1. 25.55 P.K. NAIL IN EAST FACE P.W.P.

2. 60.00 P.K. NAIL IN SOUTH FACE P.W.P.


3. 47.63 P.K. NAIL IN WEST FACE TELEPHONE POLE

SECTION 5 TWP. 22 RANGE 6

SEC. 5 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)



CORNER IDENT. "A" = IRON PIPE FOUND - "B" = STONE FOUND 1' DEEP

TIES:

"A"

1. 34.52 - P.K. NAIL IN POWER POLE
2. 17.75 - P.K. NAIL IN HEAD POST


"B"

1. 36.49 - P.K. NAIL IN POWER POLE
2. 19.30 - P.K. NAIL IN HEAD POST


SEC 5 TWP 22 RANGE 6

9/99

SEC. 5 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)



CORNER IDENT. R.L.S. Found



TIES: 1. 22.95 - P.K. NAIL IN EAST FACE POWER PILE.
2. 36.53 - EAST FACE OF YELLOW PIPE LINE MARKER

SEC. 5 TWP 22 RANGE 6

SECTION 5 TOWNSHIP 22 RANGE EAST 6

DATE OF RECOVERY FEBRUARY 18, 2002

REFERENCE SHEET



INDIANA COORDINATE SYSTEM VALUES

OBSERVATION DATE: _____

CREW: _____

NORTH: _____ EAST: _____

ELEVATION: _____

SURFACE SCALE FACTOR: _____

LATITUDE: _____

LONGITUDE: _____

ELLIPSOID HEIGHT: _____

PARTY CHIEF: ROD KELLY
CREW: ROD KELLY, JARED HENRY

TYPE OF MARKER IDENTIFIED: RAILROAD SPIKE

HISTORY AND DESCRIPTION OF RECOVERED POINT:



I FOUND A REFERENCE IN THE COUNTY SURVEYOR'S OFFICE PERTAINING TO THIS SECTION QUARTER MONUMENT. THE SAME RAILROAD SPIKE WAS FOUND 0.15' BELOW THE ROAD SURFACE. TWO ADDITIONAL REFERENCES WERE SET FOR PERPETUATION.

REFERENCE	DISTANCE	-DESCRIPTION-	FOUND	SET
1.	22.95'	PK NAIL IN EAST FACE OF POWERPOLE-CHECKED PER COUNTY REF.	☒	☐
2.	36.53'	EAST FACE OF YELLOW PIPELINE MARKER-CHECKED PER COUNTY REF.	☒	☐
3.	24.13'	IRON ROD SET OFF OF EDGE OF ROAD	☐	☒
4.	24.92'	IRON ROD SET OFF OF EDGE OF ROAD	☐	☒
-	-	-	☐	☐
-	-	-	☐	☐
-	-	-	☐	☐
-	-	-	☐	☐

REFERENCE SHEET

SECTION 5 TOWNSHIP 22 RANGE 6 EAST

DATE OF RECOVERY FEBRUARY 8, 2002



INDIANA COORDINATE SYSTEM
OBSERVATION DATE: _____
CREW: _____
NORTH: _____ EAST: _____
ELEVATION: _____
SURFACE SCALE FACTOR: _____
LATITUDE: _____
LONGITUDE: _____
ELLIPSOID HEIGHT: _____

PARTY CHIEF: ROD KELLY
CREW: ROD KELLY, JARED HENRY


TYPE OF MARKER IDENTIFIED: STONE FOUND

HISTORY AND DESCRIPTION OF RECOVERED POINT:


I FOUND NO CURRENT REFERENCES IN THE COUNTY SURVEYOR'S OFFICE PERTAINING TO THIS QUARTER SECTION MONUMENT. A THREADED ROUND (DOME) HEAD BOLT WAS FOUND ON ITS SIDE NEAR THE ROAD'S SURFACE. WE SET A IRON ROD ON THE NORTH SIDE OF THE STONE FOR LOCATION AT A LATER TIME. THE STONE WAS 0.3' BELOW THE SURFACE OF THE CHIP AND SEALED ROAD.

REFERENCE	DISTANCE	-DESCRIPTION-	FOUND SET	
1.	111.46'	PK NAIL IN POWERPOLE	☒	☐
2.	171.78'	PK NAIL IN POWERPOLE	☒	☐
3.	10.90'	IRON ROD (REBAR) 1' SOUTH OF EDGE OF ROAD	☐	☒
4.	10.25'	IRON ROD (REBAR) 1' SOUTH OF EDGE OF ROAD	☐	☒
-	-	-	☐	☐
-	-	-	☐	☐
-	-	-	☐	☐
-	-	-	☐	☐

SEC. 5 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)



CORNER IDENT. STONE FOUND 6" DEEP


TIES: 1. 17.63' - P.K. NAIL IN NORTH FACE HEAD POST
2. 60.34' - P.K. NAIL IN EAST FACE POWER POLE

SEC 5 TWP 22 RANGE 6


9/99

DATE: 7/3/01

SECTION 5 TWP. 22 RANGE 6



GRAPHIC TIES (SKETCHED)



REFERENCED BY:

L. CLINE

D. TRAGESSE

CORNER IDENTIFIED: STONE FOUND, LOWERED 3', SET IRON ROD


TIES:

1. 17.63' P.K. NAIL IN NORTH FACE H.P.


2. 60.34' P.K. NAIL IN EAST FACE P.W.P.

SECTION 5 TWP. 22 RANGE 6

SEC. 6 TWP. 22 RANGE 6



GRAPHIC TIES
(SKETCHED)



CORNER IDENT. NOT STATED


TIME: 1. 26.55' HP

2. 33.41' 22' HICKORY TREE


3. 26.45' PWP

SEC 6 TWP 22 RANGE 6

SEC 6 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)



CORNER IDENT. IRON ROD


TIES: 1. 26.55 PK NAIL IN HEADPOST
2. 25.65 " " " TELEPHONE POLE
3. 60.7 " " " POWER POLE
4. 60.75 " " " HEADPOST

SEC 6 TWP 22 RANGE 6


9/99

DATE: 7/2/01

SECTION 6 TWP. 22 RANGE 6



GRAPHIC TIES (SKETCHED)



REFERENCED BY:

L. CLINE
D. TRAGESSE

CORNER IDENTIFIED: STONE FOUND AT SURFACE


TIES:

1. 21.65' IRON ROD SET AT EDGE OF ROAD


2. 7.95' IRON ROD SET AT EDGE OF ROAD

SECTION 6 TWP. 22 RANGE 6

SEC. 6 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)




CORNER IDENT. IRON ROD FOUND

- TIES: 1. 75.68 - BOLT AT SOUTHWEST CORNER OF CONCRETE PAD.
2. 92.23 - WEST-SOUTHWEST BOLT ON WELL CAP.
3. 5.64 - IRON ROD SET AT SOUTH EDGE OF ROAD


SEC 6 TWP 22 RANGE 6

9/99

SEC. 6 TWP. 22 RANGE 6



GRAPHIC TIES
(SKETCHED)




CORNER IDENT. NOT STATED

THES:


1.	19.40'	HP
2.	31.65'	PWP
3.	44.60'	PWP
4.	26.90'	HP

SEC 6 TWP 22 RANGE 6

SEC 6 TWP 22 RANGE 6




GRAPHIC TIES
(SKETCHED)



CORNER IDENT. IRON ROD

TIES: 1. 26.3 PK NAIL IN HEADPOST
2. 33.85 " " " "
3. 35.0 " " " "
4. 86.0 " " " POWERPOLE
5. 28.65 " " " "

SEC 6 TWP 22 RANGE 6




GRAPHIC TIES
(SKETCHED)

SEC. 6 TWP 22 RANGE 6

NOV. 1991

W. JOHNSON




CORNER IDENT. STONE 3" BELOW SURFACE
CHISELED "X"

TIES:


1. 33.74' POWER POLE
2. 44.62 POWER POLE
3. ~~22.65~~ 26.65' CONCRETE POST

SEC. 6 TWP 22 RANGE 6

SEC 6 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)




CORNER IDENT. STONE


TIES: 1. 26.6 PK NAIL IN STUMP
2. 21.25 " " HEADPOST
3. 20.9 " " "
4. 35.1 NW CORNER OF CONCRETE HEADWALL

SEC 6 TWP 22 RANGE 6

SEC 7 TWP 22 RANGE 6




GRAPHIC TIES
(SKETCHED)



CORNER IDENT. IRON ROD

TIES:	1.	26.3	PK NAIL IN HEADPOST
	2.	33.85	" " " "
	3.	35.0	" " " "
	4.	86.0	" " " POWERPOLE
	5.	28.65	" " " "

SEC 7 TWP 22 RANGE 6




GRAPHIC TIES
(SKETCHED)

SEC. 7 TWP 22 RANGE 6

NOV. 1991

W. JOHNSON




CORNER IDENT. STONE 3" BELOW SURFACE
CHISELED "X"

TIES:


1. 33.74' POWER POLE
2. 44.62' POWER POLE
3. ~~26.65~~ 26.65' CONCRETE POST

SEC. 7 TWP 22 RANGE 6

SEC. 7 TWP. 22 RANGE 6



GRAPHIC TIES
(SKETCHED)




CORNER IDENT. NOT STATED


TIES: 1. 19.40' HP
 2. 31.65' PWD
 3. 44.60' PWP
 4. 26.90' HP

SEC 7 TWP 22 RANGE 6

SEC. 7 TWP. 22 RANGE 6



GRAPHIC TIES
(SKETCHED)



CORNER IDENT. NOT STATED


TIME: 1. 16.90'

2. 16.70

3. 25.70'


4. 24.10'

SEC 7 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)


SEC. 7 TWP 22 RANGE 6



CORNER IDENT. NOT STATED

TIES: 1. 39.90' HP
2. 40.40' HP
3. 30.80' HP
4. 29.40' HP

SEC 7 TWP 22 RANGE 6




GRAPHIC TIES
(SKETCHED)

SEC 7 TWP 22 RANGE 6

Nov. 1991


W. Johnson



CORNER IDENT. STONE 1/2" BELOW SURFACE W/ "X"


- TIES:
1. PK NAIL IN PRIVATE BLACKTOP DRIVE 55.14'
 2. 6'x6" POST WITH PK NAIL 18.14'
 3. 4'x4" POST ~~W~~ W/ PK 16.74'

SEC 7 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)

SEC. 7 TWP 22 RANGE 6



CORNER IDENT. NOT STATED



TIES: 1. 65.80° PWP
2. 18.30° HP

SEC 7 TWP 22 RANGE 6

REFERENCE SHEET

SECTION 8 TOWNSHIP 22 RANGE 6 EAST

DATE OF RECOVERY FEBRUARY 8, 2002



INDIANA COORDINATE SYSTEM
OBSERVATION DATE: _____
CREW: _____
NORTH: _____ EAST: _____
ELEVATION: _____
SURFACE SCALE FACTOR: _____
LATITUDE: _____
LONGITUDE: _____
ELLIPSOID HEIGHT: _____


PARTY CHIEF: ROD KELLY
CREW: ROD KELLY, JARED HENRY

TYPE OF MARKER IDENTIFIED: STONE FOUND
HISTORY AND DESCRIPTION OF RECOVERED POINT:


I FOUND NO CURRENT REFERENCES IN THE COUNTY SURVEYOR'S OFFICE PERTAINING TO THIS QUARTER SECTION MONUMENT. A THREADED ROUND (DOME) HEAD BOLT WAS FOUND ON ITS SIDE NEAR THE ROAD'S SURFACE. WE SET A IRON ROD ON THE NORTH SIDE OF THE STONE FOR LOCATION AT A LATER TIME. THE STONE WAS 0.3' BELOW THE SURFACE OF THE CHIP AND SEALED ROAD.

REFERENCE	DISTANCE	-DESCRIPTION-	FOUND	SET
1.	111.46'	PK NAIL IN POWERPOLE	☒	☐
2.	171.78'	PK NAIL IN POWERPOLE	☒	☐
3.	10.90'	IRON ROD (REBAR) 1' SOUTH OF EDGE OF ROAD	☐	☒
4.	10.25'	IRON ROD (REBAR) 1' SOUTH OF EDGE OF ROAD	☐	☒
-	-	-	☐	☐
-	-	-	☐	☐
-	-	-	☐	☐
-	-	-	☐	☐

SEC 8 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)



CORNER IDENT. _____


NOT STATED

TIES:


1. 24.90' HP
2. 24.80' HP
3. 33.60' DWP

SEC 8 TWP 22 RANGE 6

SEC 8 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)




CORNER IDENT. NOT STATED


TIES: 1. 39.90' HP
 2. 40.40' HP
 3. 30.80' HP
 4. 29.40' HP

SEC 8 TWP 22 RANGE 6

SEC. 8 TWP. 22 RANGE 6



GRAPHIC TIES
(SKETCHED)



CORNER IDENT. NOT STATED

TIME: 1. 16.90'


2. 16.70

3. 25.70'


4. 24.10'

SEC 8 TWP 22 RANGE 6

SEC 17 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)




CORNER IDENT. NOT STATED


TIES:	1.	39.90'	HP
	2.	40.40'	HP
	3.	30.80'	HP
	4.	29.40'	HP

SEC 17 TWP 22 RANGE 6

SEC. 17 TWP. 22 RANGE 6



GRAPHIC TIES
(SKETCHED)




CORNER IDENT. NOT STATED

TIES:


1.	24.90°	HP
2.	24.80°	HP
3.	33.60°	DWP

SEC 17 TWP 22 RANGE 8

SEC. 17 TWP. 22 RANGE 6



GRAPHIC TIES
(SKETCHED)




CORNER IDENT. NOT STATED

TIES:


1.	25.75'	STEEL	FP
2.	24.55'	PWP	
3.	28.50'	FP	

SEC 17 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)

SEC. 17 TWP 22 RANGE 6




CORNER IDENT. NOT STATED


TIES: 1. 26.10' STEEL FP
2. 26.40' PWP
3. 34.30' PWP

SEC 17 TWP 22 RANGE 6

SEC 18 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)




CORNER IDENT. NOT STATED


TIES: 1. 39.90' HP
 2. 40.40' HP
 3. 30.80' HP
 4. 29.40' HP

SEC 18 TWP 22 RANGE 6

SEC 18 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)




CORNER IDENT. NOT STATED


TIES: 1. 26.10' STEEL FP
2. 26.40' PWP
3. 34.30' PWP

SEC 18 TWP 22 RANGE 6

SEC. 19 TWP 22 RANGE 6




GRAPHIC TIES
(SKETCHED)




CORNER IDENT. NOT STATED

TIES: 1. 26.10' STEEL FP
2. 26.40' PWP
3. 34.30' PWP

SEC 19 TWP 22 RANGE 6



SEC 19 TWP 22 RANGE 6




GRAPHIC TIES
(SKETCHED)

CORNER IDENT. NOT STATED


TIES: 1. 19.00' HP
2. 28.20' FP
3. 19.00' HP

SEC 19 TWP 22 RANGE 6

SEC. 19 TWP. 22 RANGE 6



GRAPHIC TIES
(SKETCHED)





CORNER IDENT. NOT STATED

TIES: 1. 26.00' PWP
 2. 28.10' PWP
 3. 25.00' HP

SEC 19 TWP 22 RANGE 6

SEC 19 TWP 22 RANGE 6




GRAPHIC TIES
(SKETCHED)

CORNER IDENT. NOT STATED


- TIES:
- 1. 24.20' PWP
 - 2. 23.20' PWP
 - 3. 24.50' HP
- _____

SEC 19 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)

SEC. 19 TWP. 22 RANGE 6




CORNER IDENT. 7 IRON PIN FOUND


- TIES:
1. 89.75' CORNER OF HOUSE
 2. 412.58' PK - PWP
 3. 29.95' TELEPHONE PEDISTAL

SEC. 19 TWP. 22 RANGE 6

SEC 20 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)




CORNER IDENT. NOT STATED


TIES: 1. 26.10' STEEL FP
2. 26.40' PWP
3. 34.30' PWP

SEC 20 TWP 22 RANGE 6

SEC 20 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)




CORNER IDENT. NOT STATED

TIES:


1.	25.75'	STEEL	FP
2.	24.55'	PWP	
3.	28.50'	FP	

SEC 20 TWP 22 RANGE 6

SEC 20 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)




CORNER IDENT. NOT STATED


TIES: 1. 26.00' PWP
2. 28.10' PWP
3. 25.00' HP

SEC 20 TWP 22 RANGE 6

SEC 20 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)



CORNER IDENT. NOT STATED


TIME: 1. 19.00 HP

2. 28.20. FP


3. 19.00' HP

SEC 20 TWP 22 RANGE 6

SEC 29 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)




CORNER IDENT. NOT STATED


TIES: 1. 26.00' PWP
2. 28.10' PWP
3. 25.00' HP

SEC 29 TWP 22 RANGE 6

SEC 29 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)




CORNER IDENT. NOT STATED

TIME:	1. 27.55'	PWP
	2. 27.20'	HP
	3. 25.40'	HP

SEC 29 TWP 22 RANGE 6

SW CORNER, NW QUARTER,
SECTION 31, T22N, R6E
TIPTON COUNTY, INDIANA




MONUMENT TYPE: RAILROAD SPIKE
DEPTH: 0.15' BELOW SURFACE
HISTORY: COUNTY RECORD DID NOT
STATE TYPE OF MONUMENT.

DATE: 9/19/06
FIELD CREW: L.C.

REF. TIE	DISTANCE	DESCRIPTION	FOUND OR SET
1.	47.40'	HP/NAIL	FOUND
2.	24.90'	HP/NAIL	FOUND
3.	26.90'	PP/MAG NAIL	SET

NW CORNER, NW QUARTER,
SECTION 31, T22N, R6E
TIPTON COUNTY, INDIANA




MONUMENT TYPE: BOAT SPIKE
DEPTH: 0.2' BELOW SURFACE
HISTORY: COUNTY REFERENCE
DID NOT STATE TYPE OF
MONUMENT.




DATE: 9/16/06
FIELD CREW: L.C.

REF. TIE	DISTANCE	DESCRIPTION	FOUND OR SET
1.	33.20'	HP/MAG NAIL/WASHER	FOUND
2.	53.03'	PWP/PK NAIL	FOUND
3.	25.64'	PWP/PK NAIL	FOUND
4.	27.20'	PWP/NAIL	SET
5.	66.10'	PWP/PK NAIL	FOUND



GRAPHIC TIES
(SKETCHED)

SEC. 30 TWP. 22 RANGE 6



CORNER IDENT. 1 IRON PIN FOUND

TIES:


1. 89.75' CORNER OF HOUSE

2. 42.58' PK - PWP


3. 29.95' TELEPHONE PEDISTAL

SEC. 30 TWP. 22 RANGE 6

SEC 30 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)




CORNER IDENT. NOT STATED


TIES: 1. 24.20' PWP
2. 23.20' PWP
3. 24.50' HP

SEC 30 TWP 22 RANGE 6

SEC 30 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)



CORNER IDENT. NOT STATED



TIES:	1. 26.00'	PWP
	2. 28.10'	PWP
	3. 25.00'	HP

SEC 30 TWP 22 RANGE 6

REFERENCE SHEET

SECTION 30 TOWNSHIP 22 RANGE 6 EAST

DATE OF RECOVERY JANUARY 14, 1998



INDIANA COORDINATE SYSTEM
OBSERVATION DATE: _____
CREW: _____
NORTH: _____ EAST: _____
ELEVATION: _____
SURFACE SCALE FACTOR: _____
LATITUDE: _____
LONGITUDE: _____
ELLIPSOID HEIGHT: _____


PARTY CHIEF: _____
CREW: _____

TYPE OF MARKER IDENTIFIED: PK NAIL


HISTORY AND DESCRIPTION OF RECOVERED POINT: PK NAIL FOUND FLUSH. NO REFERENCES FOUND IN S.O.. PK NAILS FOUND IN POSTS.

REFERENCE	DISTANCE	-DESCRIPTION-	FOUND SET	
1.	24.45'	PK NAIL IN POST	☒	☐
2.	27.20'	PK NAIL IN POST	☒	☐
3.	22.35'	PK NAIL IN POST	☒	☐
4.	-	-	☐	☐
5.	-	-	☐	☐
6.	-	-	☐	☐
7.	-	-	☐	☐
8.	-	-	☐	☐

SEC 30 TWP 22 RANGE 6




GRAPHIC TIES
(SKETCHED)



CORNER IDENT. NOT STATED


TIES:	1.	32.72'	HP
	2.	53.03'	PWP
	3.	25.64'	PWP
	4.	NO MEAS.	PWP
	5.	66.10'	PWP

SEC 30 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)

SEC 30 TWP 22 RANGE 6




CORNER IDENT. 8 STONE FND LIGHT


TIES: 1. 26.85' BRACE POST
2. 25.33' CORNER POST
3. 25.25' CORNER POST

SEC 30 TWP 22 RANGE 6

SEC 31 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)



CORNER IDENT. NOT STATED



TIES:	1. 32.72'	HP
	2. 53.03'	PWP
	3. 25.64'	PWP
	4. NO MEA.	PWP
	5. 66.10'	PWP

SEC 31 TWP 22 RANGE 6

REFERENCE SHEET

SECTION 31 TOWNSHIP 22 RANGE 6 EAST

DATE OF RECOVERY JANUARY 14, 1998



INDIANA COORDINATE SYSTEM
OBSERVATION DATE: _____

CREW: _____

NORTH: _____ EAST: _____

ELEVATION: _____

SURFACE SCALE FACTOR: _____

LATITUDE: _____

LONGITUDE: _____

ELLIPSOID HEIGHT: _____

PARTY CHIEF: _____


CREW: _____

TYPE OF MARKER IDENTIFIED: PK NAIL


HISTORY AND DESCRIPTION OF RECOVERED POINT: PK NAIL FOUND FLUSH. NO REFERENCES FOUND IN S.O.. PK NAILS FOUND IN POSTS.

REFERENCE	DISTANCE	-DESCRIPTION-	FOUND SET	
1.	24.45'	PK NAIL IN POST	☒	☐
2.	27.20'	PK NAIL IN POST	☒	☐
3.	22.35'	PK NAIL IN POST	☒	☐
4.	-	-	☐	☐
5.	-	-	☐	☐
6.	-	-	☐	☐
7.	-	-	☐	☐
8.	-	-	☐	☐

SEC 31 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)




CORNER IDENT. NOT STATED


TIES:	1. 39.13'	BP
	2. 34.10'	HP
	3. 39.84'	BP
	4. 18.79'	PWP
	5. 22.28'	PWP

SEC 31 TWP 22 RANGE 6

SEC 31 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)



CORNER IDENT. NOT STATED



TIES:	1. 64.90'	DWP
	2. 22.90'	DWP
	3. 71.10'	DWP

SEC 31 TWP 22 RANGE 6

REFERENCE SHEET

SECTION 31 TOWNSHIP 22 RANGE 6 EAST

DATE OF RECOVERY _____



INDIANA COORDINATE SYSTEM
OBSERVATION DATE: _____
CREW: _____
NORTH: _____ EAST: _____
ELEVATION: _____
SURFACE SCALE FACTOR: _____
LATITUDE: _____
LONGITUDE: _____
ELLIPSOID HEIGHT: _____

PARTY CHIEF: ROD KELLY
CREW: _____


TYPE OF MARKER IDENTIFIED: STONE

HISTORY AND DESCRIPTION OF RECOVERED POINT:


STONE FOUND WITH "+" BELOW ROAD SURFACE.

REFERENCE	DISTANCE	-DESCRIPTION-	FOUND SET	
1.	16.25'	PK NAIL IN POST	☒	☐
2.	20.25'	PK NAIL IN ROUND POST	☐	☒
3.	19.05'	PK NAIL IN ROUND POST	☐	☒
4.	25.90'	PK NAIL IN ROUND POST	☐	☒
5.			☐	☐
6.	-	-	☐	☐
7.	-	-	☐	☐
8.	-	-	☐	☐

SEC 31 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)




CORNER IDENT. NOT STATED

TIES: 1. 16.30 HP

2. 23.60 HP

3. 30.50' FP


SEC 31 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)

SEC. 31 TWP 22 RANGE 6

7-13-72




CORNER IDENT. 7 STONE


TIES:	1. 30.6'	HEAD POST
	2. 41.6'	PWP
	3. 39.5'	PWP
	4. 29.9'	PWP

SEC 31 TWP 22 RANGE 6

SEC 31 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)



CORNER IDENT. NOT STATED


TIES: 1. 47.40' HP

2. 24.90' HP


3. 26.20' HP

SEC 31 TWP 22 RANGE 6

SEC. 32 TWP. 22 RANGE 6



GRAPHIC TIES
(SKETCHED)



CORNER IDENT. NOT STATED


TUES: 1. 18.30' FP

2. 16.40' HP


3. 16.50' HP

SEC 32 TWP 22 RANGE 6

SEC 32 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)




CORNER IDENT. NOT STATED


TIME:	1. 27.55'	PWP
	2. 27.20'	HP
	3. 25.40'	HP

SEC 32 TWP 22 RANGE 6

SEC 32 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)



CORNER IDENT. NOT STATED


TIES: 1. 13.85' HP

2. 19.20. HP


3. 25.85. FP

SEC 32 TWP 22 RANGE 6

SEC 32 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)




CORNER IDENT. _____ NOT STATED


TIES:	1. 39.13'	RP
	2. 34.10'	HP
	3. 39.84'	RP
	4. 18.79'	PWP
	5. 22.28'	PWP

SEC 32 TWP 22 RANGE 6

SEC 32 TWP 22 RANGE 6



GRAPHIC TIES
(SKETCHED)



CORNER IDENT. NOT STATED

TIES: 1. 64.90' PWP
2. 22.90' PWP
3. 71.10' PWP

SEC 32 TWP 22 RANGE 6